



*Lead Free / Quarter Turn  
Supply Stop Valve*



## Lead Free / Quarter Turn Supply Stop Valve

### Technical Reference

- Forged Lead Free brass body.
- Chrome plated.
- Pressure Rating : 125 psi / 180 °F
- Precision machined brass ball valve is specifically engineered and manufactured with PTFE seats to provide smooth operation without freeze-ups even after long periods of non-use.
- Two high-performance o-ring withstand high temperatures and corrosion from harsh water environments.
- 100% leak tested.

### Connection

- Compression
- CPVC
- FIP
- Sweat
- PEX

### 1/4 - Turn Ball Valve

Brass valves (even the stem is brass open or shut in 1/4-turn. Trusted our quality in a chrome plated ball valve. Best choice for longevity and frequent use. Sweat, compression, or crimp fittings provide for a quick, reliable connection.



### Specifications

Name	Material	Qty.
Compression Nut	Brass	1
Sleeve	Copper	1
Body	Lead Free Brass	1
Stem	Brass	1
O-ring	NBR	2
Handle	Zinc	1
Screw	Steel	1
Ball seat	PTFE	2
Ball	Lead Free Brass	1
Adapter	Lead Free Brass	1

# Supply Stop Valve

## Compression x Compression - Angle

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome



Part #	Description	U/M	Price	Qty/Box
EFSV-AG-58C14C	5/8" OD x 1/4" OD Comp	EA		
EFSV-AG-58C38C	5/8" OD x 3/8" OD Comp	EA		
EFSV-AG-58C12C	5/8" OD x 1/2" OD Comp	EA		

## Compression x Compression - Straight

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome



Part #	Description	U/M	Price	Qty/Box
EFSV-ST-38C38C	3/8" OD x 3/8" OD Comp	EA		
EFSV-ST-58C14C	5/8" OD x 1/4" OD Comp	EA		
EFSV-ST-58C38C	5/8" OD x 3/8" OD Comp	EA		
EFSV-ST-58C12C	5/8" OD x 1/2" OD Comp	EA		

## FIP x Compression - Angle

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome



Part #	Description	U/M	Price	Qty/Box
EFSV-AG-38FT38C	3/8" FIP x 3/8" OD Comp	EA		
EFSV-AG-12FT14C	1/2" FIP x 1/4" OD Comp	EA		
EFSV-AG-12FT38C	1/2" FIP x 3/8" OD Comp	EA		
EFSV-AG-12FT12C	1/2" FIP x 1/2" OD Comp	EA		

## FIP x Compression - Straight

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome



Part #	Description	U/M	Price	Qty/Box
EFSV-ST-38FT38C	3/8" FIP x 3/8" OD Comp	EA		
EFSV-ST-12FT38C	1/2" FIP x 3/8" OD Comp	EA		

# Supply Stop Valve

## FIP × Compression × Compression ( Dual Outlet )

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome

Part #	Description	U/M	Price	Qty/Box
EFSV-DU-12FT38C14C	1/2" FIP × 3/8" OD Comp × 1/4" OD Comp	EA		
EFSV-DU-12FT38C38C	1/2" FIP × 3/8" OD Comp × 3/8" OD Comp	EA		



## Compression × Compression × Compression ( Dual Outlet )

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome

Part #	Description	U/M	Price	Qty/Box
EFSV-DU-58C38C14C	5/8" OD × 3/8" OD Comp × 1/4" OD Comp	EA		
EFSV-DU-58C38C38C	5/8" OD × 3/8" OD Comp × 3/8" OD Comp	EA		



## Sweat × Compression - Angle

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome

Part #	Description	U/M	Price	Qty/Box
EFSV-AG-12SW14C	1/2" NOM SWEAT × 1/4" OD Comp	EA		
EFSV-AG-12SW38C	1/2" NOM SWEAT × 3/8" OD Comp	EA		



## Sweat × Compression - Straight

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome

Part #	Description	U/M	Price	Qty/Box
EFSV-ST-12SW14C	1/2" NOM SWEAT × 1/4" OD Comp	EA		
EFSV-ST-12SW38C	1/2" NOM SWEAT × 3/8" OD Comp	EA		



Wholesale Price List 124

Gas  
Connectors

Commercial  
Gas  
Connectors

Gas  
Line System

Gas  
CSST Fittings

Water  
Line System

Water  
CSST Fittings

Branded  
Water  
Connectors

Supply stop  
Valve

Water  
Heater  
Connectors

Isolation  
Valves

Thermal  
Expansion  
Tanks

No-Hub  
Couplings

Flexible  
Sprinkler  
Drops

# Supply Stop Valve

## Crimp PEX Barb × Compression - Angle

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome



Part #	Description	U/M	Price	Qty/Box
EFSV-AG-12PX14C	1/2" NOM BARB × 1/4" OD Comp	EA		
EFSV-AG-12PX38C	1/2" NOM BARB × 3/8" OD Comp	EA		

## Crimp PEX Barb × Compression - Straight

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome



Part #	Description	U/M	Price	Qty/Box
EFSV-ST-12PX38C	1/2" NOM BARB × 3/8" OD Comp	EA		

## Crimp PEX Barb × Barb - Angle

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome



Part #	Description	U/M	Price	Qty/Box
EFSV-AG-12PX12PX	1/2" NOM BARB × 1/2" NOM BARB	EA		

## Crimp PEX Barb × Barb - Straight

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome



Part #	Description	U/M	Price	Qty/Box
EFSV-ST-12PX12PX	1/2" NOM BARB × 1/2" NOM BARB	EA		

# Supply Stop Valve

## Compression x Slip\_Joint - Angle

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome

Part #	Description	U/M	Price	Qty/Box
EFSV-AG-12SJ	5/8" OD x 7/16" OD & 1/2" Slip-Joint	EA		



## Compression x Slip\_Joint - Straight

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome

Part #	Description	U/M	Price	Qty/Box
EFSV-ST-12SJ	5/8" OD x 7/16" OD & 1/2" Slip-Joint	EA		



## CPVC Solvent Weld x Compression - Angle

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome

Part #	Description	U/M	Price	Qty/Box
EFSV-AG-12CP14C	1/2" NOM CPVC x 1/4" OD Comp	EA		
EFSV-AG-12CP38C	1/2" NOM CPVC x 3/8" OD Comp	EA		



## CPVC Solvent Weld x Compression - Straight

- Lead Free Brass Body.
- Pressure Rating : 125 psi / 180 °F
- Finish : Chrome

Part #	Description	U/M	Price	Qty/Box
EFSV-ST-12CP14C	1/2" NOM CPVC x 1/4" OD Comp	EA		
EFSV-ST-12CP38C	1/2" NOM CPVC x 3/8" OD Comp	EA		



Gas  
Connectors

Commercial  
Gas  
Connectors

Gas  
Line System

Gas  
CSST Fittings

Water  
Line System

Water  
CSST Fittings

Braided  
Water  
Connectors

Supply stop  
Valve

Water  
Heater  
Connectors

Isolation  
Valves

Thermal  
Expansion  
Tanks

No-Hub  
Couplings

Flexible  
Sprinkler  
Drops