

LEAD FREE

TANKLESS WATER HEATER ISOLATION VALVE KITS

SIMPLIFIED TANKLESS WATER HEATER MAINTENANCE


Easyflex offers a wide range of isolation valves with various connection options to simplify and optimize tankless water heater maintenance.



 **EASYFLEX®**



LEAD-FREE TRADITIONAL ISOLATION VALVE KITS FOR TANKLESS WATER HEATERS



Easyflex isolation valve kits come packed with features:

- Lead free valves, including a compact version that makes installation easy
- A gas connector with corrosion resistant epoxy coating withstands wear and tear
- Full-port gas ball valve for easy access
- Multiple connection types and sizes
- Pressure relief valve (included in the kit)

EASYFLEX ISOLATION VALVE KITS FOR TANKLESS WATER HEATERS

FIP THREAD ISOLATION VALVE KIT KIT



TECHNICAL INFO

Connection Size:	3/4" and 1"
Compliance:	ANSI B1.20.1
Maximum Pressure:	125 psi
Temp Range:	40°F - 180°F
NSF 372 Compliant:	Lead Free
Max WOG Pressure:	600 psi

PART NUMBERS

EFLF-ISV-HC	3/4" Hot and Cold Valves
EFLF-ISV-HCTP	3/4" Hot and Cold Valves + PRV
EFLF-ISV-100-HC	1" Hot and Cold Valves
EFLF-ISV-100-HCTP	1" Hot and Cold Valves + PRV

FIP THREAD COMPACT ISOLATION VALVE KIT



TECHNICAL INFO

Connection Size:	3/4"
Compliance:	ANSI B1.20.1
Maximum Pressure:	125 psi
Maximum Temp:	250°F
NSF 372 Compliant:	Lead Free
Max WOG Pressure:	600 psi

PART NUMBERS

EFLF-ISVC-HC	3/4" Hot and Cold Valves
EFLF-ISVC-HCTP	3/4" Hot and Cold Valves + PRV

SWEAT ISOLATION VALVE KIT KIT



TECHNICAL INFO

Connection Size:	3/4"
Compliance:	ANSI B1.20.1
Maximum Pressure:	125 psi
Temp Range:	40°F - 180°F
NSF 372 Compliant:	Lead Free
Max WOG Pressure:	600 psi

PART NUMBERS

EFLF-ISV-SW-HC	3/4" Hot and Cold Valves
EFLF-ISV-SW-HCTP	3/4" Hot and Cold Valves + PRV

PRESS ISOLATION VALVE KIT KIT



TECHNICAL INFO

Connection Size:	3/4" and 1"
Compliance:	ANSI B1.20.1
Maximum Pressure:	125 psi
Temp Range:	40°F - 180°F
NSF 372 Compliant:	Lead Free
Max WOG Pressure:	600 psi

PART NUMBERS

EFLF-ISV-P-HC	3/4" Hot and Cold Valves
EFLF-ISV-P-HCTP	3/4" Hot and Cold Valves + PRV
EFLF-ISV-100P-HC	1" Hot and Cold Valves
EFLS-ISV-100P-HCTP	1" Hot and Cold Valves + PRV