

# Stainless Steel Water Heater Connectors

## EFCW SERIES

Flexible stainless steel connectors with optimized corrugation for maximum flow, durability, and corrosion resistance.



### FEATURES

- Optimized corrugation for maximum flow
- Built-in dielectric sleeve
- Lead-free certified
- Multiple fitting options available
- 100% leak tested

### DESIGN CERTIFICATIONS

- ASME A112.18.6-2002
- CSA B125.3-05
- NSF 61 / NSF 372



### MATERIALS

|        |                                 |
|--------|---------------------------------|
| Tubing | Stainless Steel 304 (ASTM A240) |
| Nut    | Chrome-Plated Brass 3771        |
| Gasket | High- Auality EPDM              |

### SPECIFICATIONS

|                               |                                |
|-------------------------------|--------------------------------|
| Operation Temperature         | -40°F to 180°F (-42°C to 80°C) |
| Intermittent Impulse Pressure | Up to 180 psig                 |
| Operation Pressure            | 20 to 125 psi (8.6 bar)        |

JOB NAME:

ENGINEER / ARCHITECT:

JOB LOCATION:

WHOLESALE:

SUBMITTAL DATE:

CONTRACTOR:

## PRODUCT LINEUP

| PRODUCT                                                                             | PART #              | TUBE ID | FITTINGS                | LENGTH | QTY/BOX |
|-------------------------------------------------------------------------------------|---------------------|---------|-------------------------|--------|---------|
|    | EFCW-034-SS-1010-12 | 3/4" ID | 3/4" FIP x 3/4" FIP     | 12     | 25      |
|                                                                                     | EFCW-034-SS-1010-15 |         |                         | 15     | 25      |
|                                                                                     | EFCW-034-SS-1010-18 |         |                         | 18     | 25      |
|                                                                                     | EFCW-034-SS-1010-24 |         |                         | 24     | 25      |
|                                                                                     | EFCW-034-SS-1010-36 |         |                         | 36     | 25      |
|                                                                                     | EFCW-034-SS-1010-48 |         |                         | 48     | 25      |
|    | EFCW-100-SS-1212-12 | 1" ID   | 1" FIP x 1" MIP         | 12     | 12      |
|                                                                                     | EFCW-100-SS-1212-18 |         |                         | 18     | 12      |
|                                                                                     | EFCW-100-SS-1212-24 |         |                         | 24     | 12      |
|  | EFCW-100-SS-1213-12 | 1" ID   | 1" FIP x 1-1/4" FIP     | 12     | 12      |
|                                                                                     | EFCW-100-SS-1213-15 |         |                         | 15     | 12      |
|                                                                                     | EFCW-100-SS-1213-18 |         |                         | 18     | 12      |
|                                                                                     | EFCW-100-SS-1213-24 |         |                         | 24     | 12      |
|  | EFCW-114-SS-1313-18 | 1-1/4"  | 1-1/4" FIP x 1-1/4" FIP | 18     | 12      |
|                                                                                     | EFCW-114-SS-1313-24 |         |                         | 24     | 12      |
|  | EFCW-112-SS-1414-18 | 1-1/2"  | 1-1/2" FIP x 1-1/2" FIP | 18     | 12      |
|                                                                                     | EFCW-112-SS-1414-24 |         |                         | 24     | 12      |
|  | EFCW-200-SS-1515-18 | 2" ID   | 2" FIP x 2" FIP         | 18     | 9       |
|                                                                                     | EFCW-200-SS-1515-24 |         |                         | 24     | 9       |

## PRODUCT LINEUP

| PRODUCT                                                                             | PART #              | TUBE ID | FITTINGS                 | LENGTH | QTY/BOX |
|-------------------------------------------------------------------------------------|---------------------|---------|--------------------------|--------|---------|
|    | EFWC-034-BR-1010-18 | 3/4" ID | 3/4" FIP x 3/4" FIP      | 18     | 25      |
|                                                                                     | EFWC-034-BR-1010-24 |         |                          | 24     | 25      |
|    | EFWC-034-SS-1011-15 | 3/4" ID | 3/4" FIP x 3/4" MIP      | 15     | 25      |
|                                                                                     | EFWC-034-SS-1011-18 |         |                          | 18     | 25      |
|                                                                                     | EFWC-034-SS-1011-24 |         |                          | 24     | 25      |
|    | EFWC-034-SS-1012-18 | 3/4" ID | 3/4" FIP x 1" FIP        | 18     | 25      |
|                                                                                     | EFWC-034-SS-1012-24 |         |                          | 24     | 25      |
|   | EFWC-034-SS-1050-15 | 3/4" ID | 3/4" FIP x 3/4" Push-fit | 15     | 25      |
|                                                                                     | EFWC-034-SS-1050-18 |         |                          | 18     | 25      |
|                                                                                     | EFWC-034-SS-1050-24 |         |                          | 24     | 25      |
|  | EFWC-034-SS-1060-18 | 3/4" ID | 3/4" FIP x 3/4" Sweat    | 18     | 25      |
|                                                                                     | EFWC-034-SS-1060-24 |         |                          | 24     | 25      |
|  | EFWC-034-SS-1070-18 | 3/4" ID | 3/4" FIP x 3/4" Sweat    | 18     | 25      |
|                                                                                     | EFWC-034-SS-1070-24 |         |                          | 24     | 25      |
|  | EFWC-034-SS-1080-18 | 3/4" ID | 3/4" FIP x 3/4" Sweat    | 18     | 25      |
|                                                                                     | EFWC-034-SS-1080-24 |         |                          | 24     | 25      |
|  | EFWC-034-SS-1090-18 | 3/4" ID | 3/4" FIP x 3/4" Sweat    | 18     | 25      |
|                                                                                     | EFWC-034-SS-1090-24 |         |                          | 24     | 25      |